


Capacitor as PCX1 331.8...

acc. to Type spec. QSN-075-89




$dt = 1.0 \pm 0.1 \text{ mm}$

Voltage V~	Cap. μF	Code	C-tol.	Dimensions	P mm	Lt mm
		PCX1 331		$b \times h \times l$ mm		
480	1.0	S8A001	$\pm 10 \%$	21.0 x 31.0 x 31.0	27.5 ± 0.7	3.5 ± 0.5


CAPACITOR SAME AS PCX1 331L81105

- Automotive (AEC-Q200 Qualified)
- PBT (gray) case, $LT 3.5 \pm 0.5 \text{ mm}$ & Lead wire 1.0Φ
- Marking



Marking on the top

or



Marking on the top

- Packing Method (Tray arrange)

Packing method	Sponge	SPQ (Tray)	PQ (Outer box)
8242 450 40253	8242 456 20016	50ea (8242 451 31051)	500ea (8242 451 31061)

- Test Requirements
See PCX1 331S8Axxx (sh. 190-1)

부서	제품개발1팀	Type Specification			최초작성일	19-08-27
작성	백 영 섭	MKP RADIAL POTTED CAPACITORS (현대모비스)	PCX1 331S8A001		개정 No	1
승인	강 문 현				190-1	of page
(C) PILKOR ELECTRONICS						

For part lists see PCX1 331L81105

Include :

Delete :

- Cell code ;
- . 4342 506 S0001 (Cell for PCX1 331S8A001)

For manufacturing instruction see PCX1 331L81105

< BUT >

- LOA

- 1) Liquid epoxy ; 770D (1342 431 10224 - Resin : SE-770 UMB D
1342 431 10225 - Hardener : MH-770D)
- 2) 3021 PBT (Gray) case ; 4342 433 20281
- 3) Lead wire 1.0Φ : 0142 400 00025

부서	제품개발 1 팀	Manufacturing Specification			최초작성일	19-08-27
작성	백 영 섭	MKP RADIAL POTTED CAPACITORS (현대모비스)	PCX1 331S8A001		개정 No	
승인	강 문 현		260-1	of page 1	개정일자	

(C) PILKOR ELECTRONICS